

## Section 1

### Reporting Month Statistics – Quick Overview

Reporting Month	Month Fatalities	Month Critical Injuries	Month Total
June 2017	0	22	22

### Provincial Coordinator's Comments

As we are now halfway through our Supervisor Awareness and Accountability blitz for this year, I would like to take this opportunity to remind everyone of the critical role supervisors have in ensuring the health and safety of workers in workplaces throughout the province.

This blitz is a bit different in that it doesn't focus on a specific hazard, but rather focuses on the key responsibilities of the supervisor. This blitz was designed to raise awareness of their responsibilities under the Occupational Health and Safety Act as well as to hold supervisors accountable.

Supervisors are an employer's representative on a construction project. Their responsibilities include ensuring workers' health and safety while at the same time monitoring a project's progress. Supervisors plan the work, oversee and monitor its implementation, assign tasks, identify hazards and address health and safety concerns brought forward by workers to ensure the workers' protection. Supervisors are the main channel of communication for their employer and for other employers on a project.

While an employer should have appropriate policies and programs in place to adequately ensure workers' health and safety, these policies and programs will not work if your supervisor(s) either don't believe in them or are ineffective in executing their purpose.

I would encourage all employers to take the time to review and invest in their supervisors' knowledge, training and experience in relation to the work, as well as how the Act and regulation apply to that work.

A prospective supervisor may have been excellent in the physical performance of a trade or task, however, that does not confirm they are automatically capable of fulfilling the responsibilities of a supervisor under the Act, nor does it mean they necessarily understand their responsibilities in this role under the Act. Ensure you take the time to properly train your supervisors on how the Act and regulations apply to the work they are supervising. Remember, when appointing a supervisor they must be a competent person who, is qualified because of knowledge, training and experience to organize the work and its performance, is familiar with Occupational Health and Safety Act and the regulations that apply to the work and have knowledge of any potential or actual danger to health and safety in the workplace.

Your supervisor can be the difference between a safe, healthy and productive workplace and one that will encounter continuous problems.

Thank you for your cooperation and wishing you a healthy and safe summer!

Brian Barron  
Provincial Coordinator  
Construction Health and Safety Program  
Ontario Ministry of Labour

## Section 2

### MOL’s “what’s new” (Selected Excerpts)

- **Suspended access equipment on construction projects**  
 Read a new guideline to help engineers, designers, fabricators and suppliers understand the meaning and intent of certain technical aspects in the Construction Regulation related to suspended work platforms and boatswain’s chairs.  
[Read more](#)
- **Consultations on trade classification review regulations**  
 The Ministry of Labour and the Ontario College of Trades are consulting on proposed regulations respecting trade classification reviews.  
[Proposed regulation respecting trade classification](#)
- **Supervisor awareness and accountability blitz**  
 As the employer’s representative on construction projects, supervisors play an important role in workplace health and safety. In June and July, the ministry is conducting an inspection blitz focusing on supervisors at construction projects. Inspectors are checking whether supervisors comply with occupational health and safety laws. They are also checking whether employers are providing adequate and competent supervision when five or more workers are at a project.  
[Read more](#)
- **Protecting outdoor workers**  
 With summer around the corner, many Ontarians are welcoming the warmer days. But working outdoors also presents many hazards. Working where it is hot can put you at risk for heat-related illnesses. Workers in certain areas are also at risk for infections that come from tick bites (such as Lyme disease); infections that come from mosquito bites (such as West Nile virus); and severe skin and eye reactions from handling of hazardous plants.  
[Heat stress | Tick bites and Lyme disease | West Nile virus | Hazardous plants | Sun safety](#)
- **Free webinar: How to create a mentally healthy workplace**  
 Employers that recognize mental health as key to a healthy workplace are the organizations that are going to succeed. Watch a free, one-hour webinar to learn how to create a mentally healthy workplace. Hosted by Workplace Safety and Prevention Services (WSPS), the webinar introduces key steps you can take to launch a workplace mental health program.  
[Read more](#)
- **New website a one-stop shop for workplace mental health**  
 ThinkMentalHealth.ca, a new website with free workplace mental health resources for businesses, has just launched. Developed by WSPS with its health and safety system partners, the website offers tools to help you create a psychologically healthy workplace.  
[Read more](#)
- **Safe and fair workplaces 2017: Small business outreach initiative**  
 The ministry is working with small businesses to increase awareness of workplace safety, and employment standards rights and responsibilities, and to improve resources that will help them comply with the law. [Read more](#)

- **Workplace inspection blitzes and initiatives**

Get the schedules for workplace inspection blitzes and initiatives in 2017-18.

<https://www.ontario.ca/page/workplace-inspection-blitzes-and-initiatives>

- **Extended Working at Heights transition period by 6 months**

The Ministry has now extended Working at Heights transition period by six (6) months to October 1, 2017 for workers enrolled in a CPO-approved working at heights training program prior to April 1 2017 and scheduled to complete the training before October 1, 2017.

<https://www.labour.gov.on.ca/english/hs/topics/heights.php>

## **Section 3**

### **Case 1**

#### **Vaughan Paving Fined \$125,000 after Worker Fatally Injured by Equipment**

June 20, 2017 3:45 P.M.

**NEWMARKET, ON - Vaughan Paving Ltd. pleaded guilty and was fined \$125,000 after a worker was struck by equipment and later died from the injuries.**

Vaughan Paving Ltd., a Concord-based company that provides residential and commercial paving, concrete, grading and other services, was subcontracted to install concrete curbs and sidewalks at a commercial strip mall on Bullock Drive in Markham.

On August 27, 2014, a crew of company workers was grading and levelling the parking lot of the mall in preparation for concrete curbs. Workers were using equipment - a bulldozer and a skid steer - that had been left on site from other contractors. A supervisor was operating the bulldozer and a worker was operating the skid steer. A labourer was working on foot and was taking measurements of elevations at the east side of the project boundary.

The labourer was communicating the measurements to the supervisor, who would then use the bulldozer to blade the area to the desired elevation. The skid steer was used to level the parking lot and to deliver granular material to those areas where it was required.

The labourer had completed measuring the level of the grade in front of the bulldozer. The supervisor was sitting in the cab of the stationary bulldozer with its motor idling, watching the labourer and waiting for the labourer to move, so the bulldozer could be moved forward.

The supervisor observed the labourer walking backwards from the location and that the worker was walking directly behind the track of the skid steer, which was reversing. The supervisor unsuccessfully tried to alert the others by shouting; the horn on the bulldozer was not working. The skid steer drove into and struck the labourer.

The labourer was taken to Sunnybrook Health Sciences Centre, and later passed away.

A Ministry of Labour engineer investigated the technical aspects of the incident, and found that the forward/reverse, turning and stopping functions of the skid steer functioned as designed at the time of the incident, although there was no functioning reverse alarm. There were large 'blind spots' on the rear side corners of the skid steer, and there was no signaller to direct the skid steer while it was operating in reverse.

Section 104(3) of the Ontario Construction Projects Regulation requires that "operators of vehicles, machines and equipment shall be assisted by signallers if... the operator's view of the intended path of travel is obstructed" or if "a person could be endangered by the vehicle, machine or equipment or by its load."

The defendant's failure to have a signaller assisting the operator of the skid steer meant that it

failed to ensure compliance with the regulation. This is also an offence under the Occupational Health and Safety Act.

Vaughan Paving Ltd. received a fine of \$125,000 from Justice of the Peace Herbert B. Radtke in Newmarket court on June 19, 2017.

The court also imposed a 25-per-cent victim fine surcharge as required by the Provincial Offences Act. The surcharge is credited to a special provincial government fund to assist victims of crime.

### **Court Information at a Glance**

**Location:**

Provincial Offences Court/Ontario Court of Justice

465 Davis Drive

Newmarket, Ontario

**Judge:** Justice of the Peace Herbert B. Radtke

**Date of Sentencing:** June 19, 2017

**Defendant:** Vaughan Paving Ltd.

220 Basaltic Road

Concord, Ontario

**Matter:** Occupational health and safety

**Conviction:** Occupational Health and Safety Act

Section 25(1)(c)

Regulation 213/91 (Construction Projects Regulation)

Section 104(3)(1)

Section 104(3)(2)

**Crown Counsel:** Catherine Glaister

**Section 4**

**Fatality & Critical Injury Year-to-Date Overview - Construction Sector**

	2017 1st January – June 30	2016 1st January –June 30 Comparison with last year
<b>Fatalities</b>	7	5
<b>Critical Injuries</b>	111	50

*\*NOTE: These figures represent preliminary data, and are not to be considered official statistics from the Ministry of Labour. Official statistics will be issued quarterly by the Program Analysis, Evaluation and Outcomes Unit of the Occupational Health and Safety Branch of the Ministry of Labour.*

**REPORTING MONTH: June 1 – 30, 2017**

**Monthly Summary Report**

**June 2017 Fatalities (0)**

*NOTE: Data are subject to change due to updates in the enforcement database. Only events reported to the ministry are included here. Except for fatalities, event categories in the ministry's data set are based on what was assigned at the time of the initial report to the ministry. The reported event category may not represent what actually occurred at the workplace.*

By Sector	NONE
-----------	------

**June 2017 Critical Injuries (22)**

*NOTE: Data are subject to change due to updates in the enforcement database. Only events reported to the ministry are included here. Except for fatalities, event categories in the ministry's data set are based on what was assigned at the time of the initial report to the ministry. The reported event category may not represent what actually occurred at the workplace.*

By Sector	<ul style="list-style-type: none"> <li>• NECC - 2</li> <li>• RESS - 10</li> <li>• ROAD - 1</li> <li>• INDU - 1</li> <li>• COMM -1</li> <li>• INST - 2</li> <li>• RESM - 4</li> <li>• SEWW - 1</li> </ul>
-----------	--

<p>Brief Summary</p>	<ul style="list-style-type: none"> <li>• Worker was descending a ladder; fell to ground; worker sustained fracture to left wrist.</li> <li>• Worker was taking measurements on the 2nd floor of a townhouse unit when he fell approximately 8 feet through a floor opening for a staircase. Worker sustained a broken left wrist and left ankle.</li> <li>• Worker fell from ladder used as a work platform; worker sustained broken femur to right leg.</li> <li>• Worker fell off the roof at a project and broke his ankle.</li> <li>• Worker was laying large stones down, when excavator rolled over ankle, crushing ankle.</li> <li>• Worker operating gas powered concrete saw when he was overcome from CO gas. Worker found unconscious.</li> <li>• Worker was pulling a tire out of the back of his truck; he lost his balance and fell to the ground. Worker broke his elbow in two places.</li> <li>• Overhead crane hoisting concrete block slipped causing hook to strike worker on head. Worker sustained multiple fractures to left side of jaw.</li> <li>• Worker fell from a flight of stairs where the railings were yet to be installed at a new-build home. Worker suffered a broken left leg.</li> <li>• Worker was picking and roping waste container and as he was leaving his truck he got his foot wedged in a gap. Worker suffered a fracture to the right ankle.</li> <li>• Worker was moving a long metal pipe from one area to another with a co-worker and when he put the pipe down his fingers got stuck inside the opening of the pipe. The pipe twisted and cut into his hand and pipe was cut off with a piece of pipe remaining on his hand.</li> <li>• Worker fell from a wall form that collapsed and was injured in the process. Worker is reported to have a fractured ankle.</li> <li>• Worker fell from ladder placed on scaffold, landing on concrete floor. Worker sustained fracture to skull, loss of consciousness, and a fractured right wrist.</li> <li>• Backhoe operator was getting out of the machine when he slipped, twisted, and fractured his ankle.</li> <li>• Worker stood on the hitch of his truck, fell and broke his right lower leg.</li> <li>• Worker fell 10 feet; lost consciousness and a broken collar bone.</li> <li>• Worker fell from a scaffold while working at a residential home. Worker sustained a back and a head injury also loss of consciousness.</li> <li>• Worker fell while exiting scaffold and struck his head on concrete floor resulting in loss of consciousness.</li> <li>• Worker was grinding the floor and went for water and fell to the floor and hit head. Loss of consciousness.</li> <li>• A swamper was switching loads of concrete in buckets onto a crane when his foot came between the bucket and the ground; he suffered three broken bones in his left foot.</li> <li>• Worker was run over by a skid steer; worker sustained 2 broken</li> </ul>
----------------------	--

	<p><b>femurs; left ribs crushed; broken left shoulder.</b></p> <ul style="list-style-type: none"><li>• <b>Worker tripped while assembling trusses on the ground and put his arms out to stop the fall and broke his left arm.</b></li></ul>
--	---

**Section 5**

**Fatality & Critical Injury Year-to-Date Summaries\*- Construction Sector**

\*All new entries (current month and reconciled data) appear in **bold**.

NOTE: Some detail will inevitably be missing from the PLMHSC Report. The document is intended to provide an initial overview, not a comprehensive report. Annual data reporting approved by the Director should be used by stakeholders if they wish to see all data available to the Ministry related to an event.

**Total Year-to-Date Fatalities (January 1<sup>st</sup> to June 30<sup>th</sup>, 2017): Total 7**

#	Date of Incident	Region	Sector	Occupation	Details (as reported to MOL)
1	2017-Jan-16	Central East	RESM Condominium project	Worker	Worker was cleaning a concrete mixing machine and was pulled inside, resulting in fatal injuries.
2	2017-Mar-08	Western	COMM	Worker	A masonry block wall collapsed on a worker on the 3rd floor of townhouse project
3	2017-Mar-27	Central East	RESM	Worker	Worker was unloading a concrete pre-cast panel from a truck when it fell on the worker.
4	2017-Mar-3	Eastern	RESS	Worker	Worker fell off the roof approximately 9 feet to deck and approximately another 9 feet to the ground. April 22 2017 Worker succumbed to injuries
5	2017-April-6	Northern	MINP (Project at a Mine)	Worker	Dump truck operator was pinned underneath a set of dual tires on his tri-axel dump truck
6	2017-April-10	Northern	N/A	Worker	The worker fell from a suspended ceiling.
7	2017-May-16	Western	NECC	Worker	A worker fell approx. 25 feet while working on the roof trusses of a barn. The worker did not regain consciousness

**Total Year-to-Date Critical Injuries (January 1<sup>st</sup> to June 30<sup>th</sup>,  
2017): Total 111**

#	Date of Incident	Region	Sector	Occupation	Details (as reported to MOL)
1	04-Jan-17	Western	RESS	Worker	A worker cutting weather stripping off door with utility knife, cut himself in the arm and lost consciousness.
2	09-Jan-17	Central east	COMM	Worker	A worker was critically injured due to collapsed trench. The worker was fixing a leak in a pipe when the trench collapsed and a rock/frozen earth fell on the worker.
3	10-Jan-17	Central west	RESM	Worker	A worker sustained four fractures when operator of mini excavator ran over worker's foot.
4	10-Jan-2017	Eastern	RESS	Worker	A worker slipped and fell 25 ft off upper roof of a single family home build resulting in a loss of consciousness, fractured back and leg.
5	16-Jan-17	Central East	RESM	Worker	A worker assisting a crane operator in lifting a load of plywood got his hands caught between the chains holding the load up and the load, which severed the index and middle fingers on his left hand.
6	19-Jan-17	Northern	COMM	Worker	Two workers were cutting concrete and one worker lost consciousness due to confirmed exposure to carbon monoxide.
7	25-Jan-17	Central west	RESS	Worker	Worker fell off step ladder and fractured wrist.
8	24-01-2017	Central West	RESS	Worker	Worker fell from 2nd level of scaffolding & sustained head injuries
9	25-01-2017	Central west	INDU	Worker	Worker lost consciousness falling backwards and hitting head on concrete. The worker was moving a mechanical unit into the building holding a strap and the strap broke. When the strap broke, the worker took several steps backwards, their hard hat fell off their head and the worker fell hitting their head on the concrete.
10	26-01-2017	Western	RESM	Worker	Drywaller fell from scaffolding - 10-12 feet and broke ankle.
11	27-01-2017	Central west	RESS	Worker	Worker hit by a truck on construction site and sustained multiple injuries.
12	04-02-2017	Central west	RESS	Worker	Worker lost balance on top step hit chest against 2x4 and sustained 3 fractures ribs, punctured lung and fractured wrist.
13	06-02-2017	Western	RESM	Worker	Worker on scaffold approximately 3-4 ft high removing tarps when worker fell onto concrete pad in parking garage. Worker sustained head injury and fractures to both wrists.
14	06-02-2017	Western	INST	Worker	Worker was alone on a construction site performing electrical work on an out building in a park. Worker fell off

MOL REPORT TO PLMHSC –JULY 2017 MEETING

					top of the ladder (10 fee)Worker suffered fracture to arm
15	08-02-2017	Central West	RESS	Worker	Worker slipped on ice and fell and lost consciousness at new construction residential site.
16	14-02-2017	Western	INST	Worker	Worker was setting up a concrete form and fell off the ladder and landed on his wrist. Worker suffered a fractured wrist, rib and cut to head.
17	15-02-2017	Central West	COMM	Worker	Worker doing roof renovations fell through to floor about 20 feet and sustained multiple injuries.
18	15-02-2017	Western	INDU	Worker	Worker performing electrical work on the ceiling roof level when he fell approximately 40ft and lost consciousness and significant amount of blood, suffered head trauma and injured left wrist. He was wearing a harness but was not clipped in.
19	16-02-2017	Central West	RESM	Worker	Worker walking backwards while unloading steel from a truck using a crane, missed a step and fell down resulting in fractured ankle.
20	20-02-2017	Western	INDU	Worker	Worker was using pry bar on platform that was 2 feet up when the bar slipped while exerting pressure causing the worker to fall and break arm.
21	21-02-2017	Central East	RESM	Worker	Worker was cutting concrete with a saw - CO2 levels emitted from machine resulted in loss of consciousness.
22	22-02-2017	Central West	EXC	Worker	Worker was exiting a trench via a ladder, he fell backwards off the ladder and into the trench, fell approximately 7-10 ft and lost consciousness.
23	24-02-2017	Central East	RESM	Worker	Worker received injury to chest with nail gun
24	27-02-2017	Central West	RESM	Worker	Worker stepped on a piece of debris, sustained hairline fracture to left ankle

MOL REPORT TO PLMHSC –JULY 2017 MEETING

25	01-03-2017	Eastern	RAIL	Worker	Worker caught foot on a protruding re-bar and fell forward resulting in unconsciousness, herniated disc and face lacerations.
26	01-03-2017	Central east	COMM	Worker	Worker was Installing glass panel which fell on worker resulting in fractured right leg.
27	02-03-2017	Western	COMM	Worker	Worker was climbing a ladder and missed a rung and fell backwards. Worker was knocked unconscious.
28	02-03-2017	Central East	COMM	Worker	Beam fell and struck worker in the leg from the knee down and worker sustained a fracture to leg
29	03-03-2017	Central east	COMM	Worker	Worker fell from ladder sustained fracture to the right ankle.
30	03-03-2017	Eastern	RESS	Worker	Worker fell off the ladder about 20 feet. Worker suffered broken arm and broke teeth.
31	04-03-2017	Eastern	HYDR	Worker	Worker was doing maintenance on excavator, caught foot in step and broke lower part of leg and bones in ankle.
32	06-03-2017	Central East	RESM	Worker	Worker stepped over a bundle of rebar and slipped due to ground being wet. Worker used his arm to brace his fall resulting in a fracture wrist.
33	06-03-2017	Western	RESS	Worker	Worker fell off front porch slab onto ground and sustained shattered wrist and two fractured vertebrae.
34	07-03-2017	Eastern	COMM	Worker	Worker slipped while a backhoe was moving and the bucket pinched the worker between the bucket and ground. Worker sustained broken foot and sprained ankle.
35	07-03-2017	Western	RESM	Worker	Worker was doing drywall work fell down form a scaffold fracturing his elbow.
36	08-03-2017	Western	RESS	Worker	Workers were framing on the second floor of a residential house and part of a pine tree broke landing on workers. A worker suffered broken rib, dislocated hip and crushed ankle.
37	08-03-2017	Western	ETTL	Worker	Worker slipped in mud twisted ankle and sustained fracture fibula of leg.
38	09-03-2017	Central West	RESM	Worker	Worker building a concrete form stepped down to another level and accidentally rolled his ankle resulting in a fractured ankle.
39	10-03-2017	Central West	SUBW	Worker	Worker fell while entering a bull dozer resulting in a fractured leg.
40	2017-03-11	Eastern	INDU	Worker	Worker fell approx. 53 inches hitting head on the side of a trough filled with water. Worker lost consciousness
41	2017-03-11	Western	INDU	Worker	Worker was attempting to rig a metal coil; it flipped over onto the worker and his legs became trapped. worker

MOL REPORT TO PLMHSC –JULY 2017 MEETING

					suffered multiple fractures to leg
42	16-03-2017	Central East	SEWW	Worker	Worker slipped and fell while servicing a crane. Sustained fracture to the knee.
43	17-03-2017	Central East	COMM	Worker	Worker fell 12 to 13 feet from scaffolding and lost consciousness and was bleeding from head.
44	17-03-2017	Central East	RESM	Worker	Worker was working on an elevator form and lost their balance falling 4 ft into an elevator sump pit and sustained a fracture to arm.
45	18-03-2017	Eastern	RAIL	Worker	Worker was struck in the head by a rubber hose used for pouring concrete. Worker lost consciousness
46	19-03-2017	Northern	BRID	Worker	Worker was on ladder (6.5 feet in the air) removing pipes off a truck when pipe slipped from position. Worker jumped off ladder and fractured their knee.
47	22-03-2017	Western	INDU	Worker	Worker had the bucket of a back hoe fall onto their leg, worker sustained a broken ankle.
48	2017-03-24	Western	SEWW	Worker	Public vehicle struck worker who lost consciousness.
49	27-03-2017	Northern	EXCA	Worker	Worker directing vehicle backing up at work site, slipped on a patch of ice and fell and sustaining fracture to leg.
50	27-03-2017	Central East	RESM	Worker	Worker attempting to access Baker style scaffold platform, when the platform gave way. Worker fell approximately 5 ft. sustaining fracture to arm.
51	01-04-2017	Northern	NECC	2 Workers	Equipment operator made contact with live wires on the truck, this resulting in 2 workers being shocked and critically injured
52	03-04-2017	Western	RESS	Worker	Worker installing truss that wind caught, worker fell and broke ankle.
53	03-04-2017	Western	RESS	Worker	Worker fell from the second floor into open stairwell landing on his side onto a concrete foundation wall. Worker broke several ribs and a punctured lung
54	04-04-2017	Western	INDU	Worker	Worker fell through a skylight a distance of approximately 8 meters.
55	06-04-2017	Western	COMM	Worker	Worker fell through drywall ceiling on to the display case and on to floor and fractured shoulder.
56	07-04-2017	Central East	INST	Worker	Wind caused the tent to fly and one worker was raised along with the tent. Worker hit the side of a building and fell approximately 30 foot. Suffered head injuries and

MOL REPORT TO PLMHSC –JULY 2017 MEETING

					broken arm
57	10-04-2017	Central East	RESM	Worker	A piece of 2 x 4 fell and injured a worker's forearm. Worker sustained a fracture to forearm
58	11-04-2017	Central East	HYDR	Worker	Worker was striking and holding piece of plywood over a pipe. Plywood broke and struck workers' right wrist causing a hairline fracture.
59	17-04-2017	Western	INDU	Worker	Worker was standing on the forks of forklift fell and injured head
60	17-04-2017	Central East	RESS	Worker	Horizontal steel beam fell on workers shoulder. Worker sustained a gash on chest, broken collar bone, broken arm.
61	17-04-2017	Central East	SEWW	Worker	Worker slipped and fell into 9-10ft trench and shattered ankle.
62	17-04-2017	Central West	RESS	Worker	Worker was climbing up a ladder (over 10 ft high) and the base of the ladder slipped back and the worker fell onto a grassy area and fractured arm
63	19-04-2017	Eastern	COMM	Worker	Worker injured when jack support fell over and struck worker cutting to the bone resulting in fracture
64	20-04-2017	Eastern	RESS	Worker	Worker fell off an eight foot ladder and suffered compound fracture
65	26-04-2017	Central West	INDU	2 Workers	A piece of equipment fell injuring two workers, one worker was trapped and leg was crushed. The second worker injured was in shock with back injury.
66	26-04-2017	Central West	RESS	2 Workers	Two workers fell from scaffolding onto mud and rock; both workers sustained head/neck/back trauma
67	26-04-2017	Central West	RESM	Worker	Worker was putting up partition wall when the wall fell on worker. The worker sustained a compound fracture of the leg;
68	28-04-2017	Central West	HYDR	Worker	Worker hit in back of head with air ratchet and sustained loss of consciousness; laceration to left side of head.
69	03-05-2017	Western	ROAD	Worker	Worker fractured ankle when he slipped on a muddy bank and fell approx. two feet to the ground below.
70	04-05-2017	Eastern	RESS	Worker	Worker fell off ladder against side of house, approx. ten-twelve feet and fracture forearm and wrist.
71	08-05-2017	Eastern	INST	Worker	Worker was struck by backhoe sustaining internal injuries and broken pelvis.
72	08-05-2017	Western	COMM	Worker	Worker fell out of tele-handler and sustained fractured ribs

MOL REPORT TO PLMHSC –JULY 2017 MEETING

					and hip.
73	08-05-2017	Western	RESS	Worker	Framer fell off the roof while installing sheathing resulting in fracture to leg.
74	10-05-2017	Central East	RESM	Worker	Worker slipped on a small ramp and fractured wrist.
75	15-05-2017	Central East	SUBW	Worker	Worker fell five feet off scaffold platform and fractured their arm.
76	16-05-2017	Western	RESS	Worker	Worker fell 8 to 10 ft when the ladder slipped down and the worker fell onto a concrete rear patio. The worker broke left rib had and difficulty breathing.
77	17-05-2017	Central west	COMM	Worker	Construction fence fell onto worker who sustained a fractured arm.
78	18-05-2017	Western	PAVE	Worker	A truck driver broke their arm when disconnecting the trailer from the truck; the 'tongue' of the trailer pinned the worker's arm between it and the tow point.
79	19-05-2017	Western	PAVE	Worker	A worker walking alongside an asphalt paver stepped on a patch of clay which broke, causing the worker to roll and fracture their ankle.
80	23-05-2017	Central East	NECC	Worker	Worker was moving material with a jack when the material fell off the jack and landed on their foot and fracturing their foot.
81	24-05-2017	Eastern	COMM	2 workers	Two workers on elevating work platform were injured when the boom failed and fell to the ground. Workers may have lost consciousness. MOL confirmed critical injuries sustained by both workers.
82	26-05-2017	Western	RESS	Worker	Worker fell from a ladder and grabbed the ladder on the way down cutting their hand while falling to the ground at a height of 6 or 7 ft high. The worker fractured their wrist.
83	28-05-2017	Central West	CONY	Worker	Worker fell from a ladder to concrete walkway and sustained head injuries
84	29-05-2017	Central West	SEWW	Worker	Worker was working as a signalman and was struck by a vehicle sustaining critical injuries.
85	30-05-2017	Central West	NECC	Worker	Worker was installing corner bead off of a two-step bench when bench collapsed and fractured workers wrist and elbow.
86	<b>01/06/2017</b>	<b>Central West</b>	<b>RESS</b>	<b>Worker</b>	<b>Worker was descending a ladder; fell to ground; worker sustained fracture to left wrist.</b>
87	<b>01/06/2017</b>	<b>Central East</b>	<b>RESM</b>	<b>Worker</b>	<b>Worker was taking measurements on the 2nd floor of a townhouse unit when he fell approximately 8 feet through a floor opening for a staircase. Worker sustained a broken left wrist</b>

MOL REPORT TO PLMHSC –JULY 2017 MEETING

					and left ankle.
88	02/06/2017	Central West	INST	Worker	Worker fell from ladder used as a work platform; worker sustained broken femur to right leg.
89	03/06/2017	Central West	RESS	Worker	Worker fell off the roof at a project and broke his ankle.
90	05/06/2017	Central West	NECC	Worker	Worker was laying large stones down, when excavator rolled over ankle, crushing ankle.
91	05/06/2017	Western	RESS	Worker	Worker operating gas powered concrete saw when he was overcome from CO gas. Worker found unconscious.
92	06/06/2017	Northern	ROAD	Worker	Worker was pulling a tire out of the back of his truck; he lost his balance and fell to the ground. Worker broke his elbow in two places.
93	08/06/2017	Central West	INDU	Worker	Overhead crane hoisting concrete block slipped causing hook to strike worker on head. Worker sustained multiple fractures to left side of jaw.
94	08/06/2017	Central East	RESS	Worker	Worker fell from a flight of stairs where the railings were yet to be installed at a new-build home. Worker suffered a broken left leg.
95	09/06/2017	Western	RESS	Worker	Worker was picking and roping waste container and as he was leaving his truck he got his foot wedged in a gap. Worker suffered a fracture to the right ankle.
96	12/06/2017	Central East	RESM	Worker	Worker was moving a long metal pipe from one area to another with a co-worker and when he put the pipe down his fingers got stuck inside the opening of the pipe. The pipe twisted and cut into his hand and pipe was cut off with a piece of pipe remaining on his hand.
97	12/06/2017	Richmond Hill	RESS	Worker	Worker fell from a wall form that collapsed and was injured in the process. Worker is reported to have a fractured ankle.
98	2017-06-14	Central West	RESS	Worker	Worker fell from ladder placed on scaffold, landing on concrete floor. Worker sustained fracture to skull, loss of consciousness, and a fractured right wrist.
99	14/06/2017	Central East	SEWW	Worker	Backhoe operator was getting out of the machine when he slipped, twisted, and fractured his ankle.

MOL REPORT TO PLMHSC –JULY 2017 MEETING

100	2017-06-14	Western	NECC	Worker	Worker stood on the hitch of his truck, fell and broke his right lower leg.
101	19/06/2017	Central West	RESS	Worker	Worker fell 10 feet; lost consciousness and a broken collar bone.
102	20/06/2017	Central East	RESS	Worker	Worker fell from a scaffold while working at a residential home. Worker sustained a back and a head injury also loss of consciousness.
103	20/06/2017	Western	INST	Worker	Worker fell while exiting scaffold and struck his head on concrete floor resulting in loss of consciousness.
104	21/06/2017	Central East	COMM	Worker	Worker was grinding the floor and went for water and fell to the floor and hit head. Loss of consciousness.
105	26/06/2017	Central East	RESM	Worker	A swamper was switching loads of concrete in buckets onto a crane when his foot came between the bucket and the ground; he suffered three broken bones in his left foot.
106	28/06/2017	Central West	RESM	Worker	Worker was run over by a skid steer; worker sustained 2 broken femurs; left ribs crushed; broken left shoulder.
107	2017-06-29	Western	RESS	Worker	Worker tripped while assembling trusses on the ground and put his arms out to stop the fall and broke his left arm.